Agility Trail 1

NRO860



Item no. NRO860-1001		
General Product Information		
Dimensions LxWxH	793x68x190 cm	
Age group	6+	
Play capacity (users)	8	
Colouroptions		





The Agility Trail 1 is a challenge that all 6-12 year olds will want to take on. The variation in responsive balancing activities will make children come back again and again. The combination of overhead and tight rope walks offers great play challenges. Balancing across the swaying ropes and rolling logs of the Agility Trail 1 stimulates balance and proprioception. Balance and proprioception are fundamental in confidently managing the body in its surroundings. This is important for instance when navigating street traffic safely. But it also plays an important role for children's self confidence. The multiple places where children have to take turns and negotiate to cross oneanother train important social-emotional skills that are basic to the ability to form friendship and relate to peers.




111

Data is subject to change without prior notice.

Agility Trail 1

NR0860





88



Agility Trail 1

NRO860



All Organic Robinia products by KOMPAN are made of 100% Robinia wood from sustainable European sources. On request it can be supplied with FSC® Certified (FSC® C004450) Robinia wood.



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



The teardrop handle has been designed in such a way that it can be used as a handle and a footrest. The shape and diameter of the handle is optimal for kids.

Item no. NRO860	-1001	
Installation Information		
Max. fall height	3	80 cm
Safety surfacing area	34	,6 m2
Numberofinstallers		2
Total installation time		10,0
Excavation volume	0,9	0 m3
Concrete volume	0,5	i0 m3
Footing depth (standard)	10	00 cm
Shipmentweight	4	87 kg
Anchoring options	In-ground	~

Warranty Information

Robinia wood	15 years
Stainless steel components	Lifetime
Ropes & nets	10 years
Spare parts guaranteed	10 years



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



Sustainability



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Validation of CO₂ calculation of: Nature play



Data version no. 2021-09-27

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621 (Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023 Validated by:

Bathtio

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



ober 2021

Data is subject to change without prior notice.

Cradle to Gate A1-A3Total CO2
emissionCO2e/kgRecycled<br/materials</th>kg CO2ekg CO2e/kg%NRO860-1001261,340,591,19


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))




NRO860

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height







5 / 12/30/2021

Data is subject to change without prior notice.

